



Agilent Technologies

AGILENT STOCK CLEARANCE

Genuine Agilent Spare Parts available at Discount Prices

We have a Limited amount of Agilent Spare Parts available.

Please email sales@greyhoundchrom.com for details of availability.

Numbers available of each item shown in the list.



**Greyhound Chromatography
and Allied Chemicals**

**6 Kelvin Park, Birkenhead
Merseyside, UK, CH41 1LT**

Web: <https://www.greyhoundchrom.com>

Tel: +44 (0) 151 649 4000

Fax: +44 (0) 151 649 4001

Email: info@greyhoundchrom.com

PART NO.	IN STOCK	DESCRIPTION	Discounted price
0100-0549	1	Clamping ring, NW 20/25, stainless steel, filter extender tube, for the Agilent Quiet Cover	8.00
0100-1551	1	Centering ring with O-ring, NW25, used with series 5973 and 5975 gas chromatography/mass spectrometry systems, models 5973-inert, 5973A, 5973N, 5975A, 5975B-MSD, and 5975C	33.68
0100-1850	1	Stator for 0101-0921 valve	277.60
0101-0636	2	Replacement valve, 4-port, liquid sampling, 0.2 µL, 1000 psi/75C max, Nitronic 60	520.00
01018-60025	2	Stainless steel filter, solvent inlet, 12–14 µm	66.40
01078-87302	2	Capillary, loop, 100 µL	95.20
01090-87304	1	Tubing, stainless steel, 0.17 mm id, 280 mm, with fittings	72.00
01090-87610	1	Tubing, stainless steel, 0.12 mm id, 280 mm, with fittings	71.20
0515-1446	1	Setscrew, for Agilent 5971/72/73 MSD	2.40
05971-60140	2	Filament assembly, for Agilent 5971 MSD	134.40
0905-0490	1	O-ring, 2-013, fluorocarbon, black, used with series 5973, 5975, and 5977 gas chromatography/mass spectrometry systems, models 5973-inert, 5973A, 5973N, 5975A, 5975B-MSD, and 5975C	19.55
0905-1175	1	Seal, wash, PTFE, 1 /pk	37.60
0905-1405	3	Gas chromatography/mass spectrometry interface o-ring, 2-025, fluorocarbon, brown, for EI gas chromatography/mass spectrometry interfaces (transferline) and for gas chromatography/mass spectrometry CI upgrade kits	7.90
0905-1420	5	Piston seals, 1100 2/pk	96.80
0905-1441	2	Manifold cap end plate o-ring, 2-247, fluorocarbon, black, for front and rear end plates, for gas chromatography/mass spectrometry manifolds	35.29
0905-1442	8	Side plate o-ring, 2-277, fluorocarbon, black, for gas chromatography/mass spectrometry manifolds, used with series 5973, 5975 and 5977	60.26
112-2112	1	CAM, 15 m, 0.25 mm, 0.25 µm, 7 inch cage	233.60
122-1564	1	DB-VRX, 60 m, 0.25 mm, 1.40 µm, 7 inch cage	679.20
122-5533	1	DB-5ms, 30 m, 0.25 mm, 1.00 µm, 7 inch cage	400.80
122-5711	2	DB-5ht, 15 m, 0.25 mm, 0.10 µm, 7 inch cage	256.80
124-7032	2	DB-WAX, 30 m, 0.45 mm, 0.85 µm, 7 inch cage	417.60
125-2814E	1	DB-2887, 10 m, 0.53 mm, 3.00 µm, 5 inch cage	183.20
125-5032	1	DB-5, 30 m, 0.53 mm, 1.50 µm, 7 inch cage	417.60
14-3823-000	14	Septa for 40ml Vial, Pre-Cleaned pk72	57.00
18710-20119	6	Jet, adaptable, 0.018 inch id tip, for packed columns	41.60
18740-20885	2	GC inlet seal, gold plated, with washer	26.40
19091N-113	2	HP-INNOWax, 30 m, 0.32 mm, 0.25 µm, GC column, 7 inch cage	376.00
19091N-216E	1	J&W HP-INNOWax GC column, 60 m, 0.32 mm, 0.50 µm, 5 inch cage	670.40
19095Z-023	2	HP-1, 30m, 0.53 mm, 0.88 µm, 7 inch cage	417.60

PART NO	IN STOCK	DESCRIPTION	£ EACH
19095Z-121	2	HP-1, 10 m, 0.53 mm, 2.65 µm, 7 inch cage	191.20
19095N-123	2	HP-INNOWax, 30 m, 0.53 mm, 1.00 µm, GC column, 7 inch cage	426.40
19231-60680	8	Ignitor glow plug assembly	33.00
19244-80560	6	Jet, adaptable, 0.011 inch id tip, for capillary columns	47.20
19251-60540	25	Inlet liner, split, straight, with glass wool	15.75
19251-80680	1	Column ferrule installation tool	44.00
2140-0600	1	Flash lamp for Agilent G1321A FLD	523.20
5001-3707	4	seal cap assembly	20.80
5022-6531	1	Test Tubes, 12 x 100 mm, 250/pk	22.40
5061-5896	1	Abrasive mesh, 30 µm aluminum oxide, 5/pk	21.60
5062-2485	2	Seal cap assembly	20.80
5062-3506	3	Ferrule, 0.5 mm id, preconditioned, 15% graphite/85% Vespel, 0.32 mm column, long, 10/pk	20.80
5062-3507	5	Ferrule, 0.3 mm id, preconditioned, 15% graphite /85% Vespel, 0.1 mm column, long, 10/pk	45.00
5062-3514	4	Ferrule, 0.5 mm id, 15% graphite/85%Vespel, 0.32 mm column, 10/pk	39.00
5062-3516	5	Ferrule, 0.4 mm id, 15% graphite/85% Vespel, 0.2 mm column, 10/pk	39.00
5062-3518	5	Ferrule, 0.3 mm id, 15% graphite/85% Vespel, 0.1 mm column, 10/pk	39.00
5062-3538	5	Ferrule, 0.8 mm id, preconditioned 15% graphite/85% Vespel, 0.53 mm column, long, 10/pk	36.75
5062-8562	2	Cartridge, active inlet valve, 400 bar, for Agilent 1100, 1200 Infinity and 1260 Infinity Cap/Nano pumps	130.50
5062-9510	4	Replacement valve, 10-port, WE series, 400 psi/225 °C max, Nitronic 60	572.00
5063-6505	2	Sieves for outlet valve	12.00
5063-6586	4	Piston, sapphire, for Agilent 1100, 1200, 1260, 1120, 1220 Infinity pumps	96.00
G3388B	1	Electronic gas leak detector, handheld	1208.00
5067-1553	2	Filter assembly, in-line, 4.6 mm, 0.2 µm, max 600 bar, 3 frits, 0.17 x 90 mm connecting capillary	163.20
5080-8853	1	Ferrule, graphite, short, 0.5 mm id, for 0.1 to 0.32 mm columns, 10/pk	37.60
5181-1270	8	Vial insert, 250 µL, glass, conical with polymer feet, deactivated 100/pk	62.25
5181-3308	10	Ferrule, no-hole, 15% graphite/85% Vespel, 10/pk	35.25
5181-3354	1	ALS Syringe, 10 µL, fixed needle, 23-26s/42/cone, PTFE-tip plunger	39.20
5181-8810	10	ALS syringe, 5 µL, fixed needle, 23-26s/42/cone, 6/pk	247.50
5181-8872	100	Vial insert, 250 µL, glass, conical with polymer feet,, 100/pk	75.00
5182-0541	25	Cap, snap, blue, PTFE/silicone septa, 100/pk	21.00

PART NO	IN STOCK	DESCRIPTION	£ EACH
5182-0545	20	Vial, snap top, amber, write-on spot, 2 mL, 100/pk	12.75
5182-0553	7	Vial pack, screw top, pre-assembled, certified, clear vials, blue caps, PTFE/red silicone septa, 2 mL, 100/pk	32.25
5182-0715	5	Vial, screw top, clear, write-on spot, certified, 2 mL, 100/pk	13.50
5182-0837	4	Vial, crimp top, headspace, clear, flat bottom, 20 mL, 23 x 75 mm, 100/pk	24.75
5182-0840	10	Vial kit, crimp top, headspace, clear, 20 mL, silver aluminum caps with safety feature, certified, flat bottom, molded PTFE/silicone septa, 100/pk	57.75
5182-0846	5	Frit sparger kit with fittings, 5 mL, 1/2-inch	102.40
5182-0852	5	Glass, frit sparger, 5 mL, 1/2-inch	80.80
5182-9748	1	Ferrule, PTFE, (needle seal), 10/pk	128.00
5183-0318	1	ALS Syringe, 50 µL, fixed needle, 23/42/cone, PTFE-tip plunger	69.00
5183-2030	3	Vial, clear, high recovery, screw top, 1.5 mL, 30 µL reservoir, 100/pk	85.50
5183-4313	6	Storage vial kit, 22 mL, 23 x 85 clear vial, 20-400 closed top, PTFE/silicone septa, 100/pk	46.50
5183-4314	6	Storage vial kit, 40 mL, 28 x 95 clear vial, 24-414 closed top, PTFE/silicone septa, 100/pk	49.50
5183-4429	15	Vial, 8-425 screw top, 2 mL, amber, 100/pk	10.50
5183-4480	10	Caps/septa, crimp, headspace, 20 mm, silver aluminum safety cap, molded PTFE/butyl septa, 100/pk	46.50
5183-4758	1	Inlet septa, bleed and temperature optimized (BTO), non-stick, 5 mm, through-hole, 50/pk	56.00
5188-1158	1	Fuse, Transformer, 5x20 8A 250V 5/PK	107.41
5188-2753	1	Vial, screw top, headspace, clear, 20 mL, 23 x 75 mm, 100/pk	43.20
5188-5363	2	Siltite Ferrules, 0.53mm column	44.80
5188-6495	11	QuickPick PM kit, for split vent trap	39.20
5188-6567	1	Liner, MS Cert, split, single trap	96.00
5188-6569	1	Liner, MS Cert, Straight, deact,	78.40
5188-8820	2	Trap, Vocab 3000, U-shape	115.20
5190-1437	2	Ferrule, low thermal mass, column id up to 250 µm, 0.4 mm id, 5/pk	32.80
5190-1438	2	Ferrule, low thermal mass, column id 320 µm, 0.5 mm id, 5/pk	32.80
5190-1439	2	Ferrule, LTM, 450/530 µm, 0.8 mm id, 5/pk	39.20
6040-0289	1	Vacuum grease, 25 g tube	140.06
728975-902	1	ZORBAX Extend 80Å C18, 4.6 x 100 mm, 1.8 µm, 600 bar	400.00
8120-8705	1	Power cord, UK/Hong Kong/Singapore/Malaysia, used with series 5973, 5975, and 5977 gas chromatography/mass spectrometry systems, models 5973-inert, 5973A, 5973N, 5975A, 5975B-MSD, and 5975C	37.23
820675-115	1	ZORBAX StableBond 80Å C8, 7 µm, 9.4 x 15 mm guard cartridge (P), 2/pk	127.20
820950-908	4	ZORBAX Original 70Å NH2, 5 µm, 4.6 x 12.5 mm guard cartridge (ZGC), 4/pk	121.60

PART NO	IN STOCK	DESCRIPTION	3 EACH
820950-930	1	ZORBAX Extend 80Å C18, 5 µm, 4.6 x 12.5 mm guard cartridge	129.60
821125-924	1	ZORBAX StableBond 300 C3, 2.1 x 12.5 mm, 5 µm, guard cartridge (ZCG) 4/pk	114.40
828975-905	1	ZORBAX StableBond 80Å CN, 4.6 x 100 mm, 1.8 µm, 600 bar	394.40
829975-902	2	ZORBAX StableBond 80Å C18, 4.6 x 150 mm, 1.8 µm, 600 bar	501.60
840140-901	1	Semi-prep guard cartridge hardware kit, 9.4 mm ID cartridges (P system)	163.20
858700-902	1	ZORBAX StableBond 80Å C18, 2.1 x 100 mm, 1.8 µm, 1200 bar	409.60
8650-0030	1	Gloves, nylon, large, white, 1 pair	12.80
880952-708	1	ZORBAX Original 70Å NH2, 5 µm, 4.6 x 250 mm	316.00
880975-202	1	ZORBAX StableBond 80Å C18, 9.4 x 250 mm, 5 µm	870.40
9301-0718	5	Cap, crimp, headspace, 20 mm, silver aluminum cap with safety feature, no septa, 100/pk	6.75
9301-0719	10	Septa, silicone, tan PTFE/white silicone, 20 mm, 100/pk	35.25
9301-0725	1	ALS Syringe, 10 µL, fixed needle, 23/42/cone, 6/pk	158.25
9301-0985	2	Flame ionization detector cleaning kit	33.60
9301-1031	1	Septa, PTFE/natural rubber, for 4 mL vials, 144/pk	19.20
959764-902	2	ZORBAX Eclipse Plus 95Å C18, 2.1 x 100 mm, 1.8 µm, 600 bar	400.80
959964-902	1	ZORBAX Eclipse Plus 95Å C18, 4.6 x 100 mm, 1.8 µm, 600 bar	400.80
BOT-2	1	Big Oxygen trap, 1/8 in, 250 psig	198.40
CP8757	2	CP-Wax 52 CB, 30 m, 0.32 mm, 0.15 µm, GC column, 7 inch cage	376.00
C-TBP1TC	1	Tube, stainless steel, Tenax, preconditioned/capped, 10/pk	976.80
G1099-20133	7	Repeller insulator	71.20
G1099-20301	1	Transfer insulation, for EI gas chromatography/mass spectrometry interface (transferline), used with series 5973, 5975, 5977 and	148.68
G1099-60103	1	Heater, repeller, used with series 5973 and 5975	61.69
G1099-80039	10	Oil Mist Filter, 3/8 BSP Male Threads	175.20
G1099-80053	3	Filament, chemical ionization (CI), for Agilent 7200, 7000C, 7000A/B, 5977, 5975/73 MSD, 2/pk	243.20
G1312-60025	2	Active inlet valve, without cartridge, for Agilent 1100, 1200, 1200 RRLC, 1260 Infinity LC Binary/Cap/Nano pumps	241.60
G1312-67305	2	Connecting capillary, stainless steel, 0.17 mm, 60 cm, used as outlet capillary or pump to injector	47.20
G1313-44512	1	Tray for 40 2-ml vials for use with G1313A	18.40
G1313-68713	1	Tray holding 215 tubes, 12 x100 mm, 7 mL	290.40
G1313-87101	4	Standard needle seat, PEEK 0.17 mm id capillary, 2.3 µL	112.80
G1313-87202	2	Needle, 900 µL, 1100/1200	88.00

PART NO	IN STOCK	DESCRIPTION	£ EACH
G1313-87304	2	SS Tubing, 180mm, 0.12mm id	48.00
G1313-87305	3	SS Tubing, 180mm, 0.17mm id	49.60
G1364-84516	1	Tray holding 215 tubes,12x	0.00
G1364-84531	1	Tray for 4 well plates, adjustable, cooled	167.20
G1364-87202	1	Needle assy, 20 mm for G1364C	232.80
G1367-87101	1	Needle seat Vespel, well plate autosampler 0.17 mm id capillary, 2.3 µL	85.60
G1530-67070	1	CO2 cryogenic valve kit, used with series 6890 gas chromatography systems	757.03
G1531-21090	1	Collector body, Hastelloy, for Agilent 6890, 6850	220.00
G1531-60690	3	FID collector assembly, for Agilent 7890, 6890, 6850	163.20
G1544-80550	2	Capillary inlet trap assembly	143.20
G1565-20560	1	CO2 cryo nozzle clamp screw, used with series 6890 and 7890 gas chromatography systems	36.46
G1565-20590	1	PTV CO2 cryogenic gland seal, used with series 6890 and 7890 gas chromatography systems	80.82
G1820-65050	1	Nickel (Ni) skimmer cone, standard cone used with Agilent 7500 a/ I ICP-MS, also suitable for 7500s ICP-MS, use with Ni sampling cone	368.00
G1820-65238	2	Nickel (Ni) sampling cone Agilent 7500 a/i/c/ce/cx/s/cs ICP-MS, use with Ni skimmer cone and stainless steel skimmer base	410.40
G1833-65332	2	O-ring for vent valve, Viton, 2/pk	31.20
G2589-20041	1	KF 16 flange x 5/8 inch id hose barb elbow, used with series 5973	141.28
G2589-20044	2	Repeller, Agilent 5975 MS	98.40
G2590-60053	2	Filament, high temperature, EI ion source	93.60
G2855-20530	2	Internal nut, CFT capillary fitting	17.60
G2933-85003	2	Sulfur Trap for SCD	457.60
G3170-80103	1	Electron multiplier, triple axis	1115.20
G3182-61580	2	Ultimate Union Kit, deactivated	191.20
G3431-60272	1	Nutwarmer kit, C-FID, C-NPD, ECD, XCD, used with series 6850 and 6890 gas chromatography systems	46.64
G4208-68700	1	USB Memory Stick for G4208A	52.80
G4280-60036	1	Passive Inlet Valve 1220/1260	196.80
G6600-20008	2	SS tube for DP controller, 1/16" x 1 m, 10-32 for H2 or Oxi, used with series 6850, 6890, and 7890 gas chromatography systems	300.44
G6600-60019	2	SCD ship kit accessories, used with series 6850, 6890, and 7890 gas chromatography systems	194.95
G6600-60023	1	Gas ballast oil return kit for RV5 pump, used with series 6850, 6890, and 7890 gas chromatography systems	686.64
G6600-60025	1	Vacuum hose, 6 ft, Tygon, 1/2 in ID, used with series 6850, 6890, and 7890 gas chromatography systems	266.51
G6600-60029	1	Vacuum pump accessory kit, oil type pump, used with series 6850, 6890, and 7890 gas chromatography systems	475.65

PART NO	IN STOCK	DESCRIPTION	£ EACH
G6600-60034	1	Ceramic tube package, for SCD before August 1995	142.40
G6600-60037	1	Dual-plasma burner accessory kit	302.40
G6600-67005	2	Dual Plasma SCD Maintenance Kit, used with series 6850, 6890, and 7890 gas chromatography systems	187.54
G6600-80018	2	Spare column nut and ferrule kit	67.20
G6600-80043	3	Oil mist filter for RV5 pump, for MS, SCD/NCD	311.20
G6600-80060	2	Vaccum pump fuse kit, NCD/SCD, 230 V, IEC, used with series 6850, 6890, and 7890 gas chromatography systems	65.39
G6600-85002	2	Oil, Edwards Ultragrade, 1L	17.60
G6600-85001	1	Mobil 1 Sythetic Oil	17.60
RFT-2500	1	Ferrule removal tool, 0.25-0.32 mm	17.60
RMSN-2	1	Big universal trap, Nitrogen, 1/8 in, 250 psig	220.80