


February 27, 2012

**NEW PRODUCT****M3PFBA**

The presence of lower homologues of perfluorinated carboxylic acids in environmental samples may be the result of contamination from point sources or degradation of related perfluorinated compounds. Although it has been reported that perfluorobutanoic acid is not likely to bioaccumulate, its ubiquitous detection in the environment, as well as its persistent nature, may lead to a continuous exposure that results in adverse health effects. The monitoring of environmental levels of perfluorinated compounds can be challenging due to the wide range of complex matrices in which they are detected. The impact of using mass-labelled surrogates on the precision and accuracy of data is significant and applicable to any analytical method. With this in mind, **Wellington** has synthesized a new perfluorinated reference standard, **M3PFBA**, to supplement our existing MPFBA and PFBA standards.

Perfluoro-n-[2,3,4-<sup>13</sup>C<sub>3</sub>]butanoic acid

Catalogue Number	Product (methanol)	Qty/Conc
<b>NEW</b> PFBA	Perfluoro-n-butanoic acid	1.2 ml 50 µg/ml
<b>M3PFBA</b>	Perfluoro-n-[2,3,4- <sup>13</sup> C <sub>3</sub> ]butanoic acid	1.2 ml 50 µg/ml
<b>MPFBA</b>	Perfluoro-n-[ <sup>13</sup> C <sub>4</sub> ]butanoic acid	1.2 ml 50 µg/ml

**Distributed Throughout Europe and Middle East By-**

Greyhound Chromatography & Allied Chemicals  
6 Kelvin Park, Birkenhead,  
Merseyside, CH41 1LT, U.K.  
Tel: (+44)-0-151-649-4000 Fax: (+44)-0-151-649-4001  
E-mail: [info@greyhoundchrom.com](mailto:info@greyhoundchrom.com)  
Web: [www.greyhoundchrom.com](http://www.greyhoundchrom.com)

